35

40

45

50

(iii) HYPOTHETICAL: NO (iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: N-terminal

-77-

## SEQUENCE LISTING (1) GENERAL INFORMATION: (i) APPLICANT(S): HOGREFE, Holly HANSEN, Connie J (ii) TITLE OF INVENTION: Polymerase Enhancing Factor (PEF) Extracts, PEF Protein Complexes, Isolated PEF Proteins, and Methods for Purifying and Identifying Them (iii) NUMBER OF SEQUENCES: 89 (iv) CORRESPONDENCE ADDRESS: ADDRESSEE: M. Paul Barker, Esq., Finnegan, (A) Henderson, Farabow, Garrett & Dunner, LLP STREET: 1300 I. Street, N.W. (B) CITY: Washington (C) STATE: DC (D) ZIP: 20005 (F) (v) COMPUTER READABLE FORM: (A) MEDIUM TYPE: Floppy disk COMPUTER: IBM PC compatible (B) OPERATING SYSTEM: PC-DOS/MS-DOS (C) SOFTWARE: PatentIn Release #1.0, Version #1.25 (D) (vi) CURRENT APPLICATION DATA: APPLICATION NUMBER: NOT YET KNOWN (A) FILING DATE: 20-MARCH-1998 (B) CLASSIFICATION: (C) (viii) ATTORNEY/AGENT INFORMATION: NAME: BARKER, M. PAUL (A) REGISTRATION NUMBER: 32,013 (B) REFERENCE/DOCKET NUMBER: 4121.0116.02304 (C) (ix) TELECOMMUNICATION INFORMATION: TELEPHONE: 202 408-4000 (A) TELEFAX: 202 408-4400 (B) (2) INFORMATION FOR SEQ ID NO:1: (i) SEQUENCE CHARACTERISTICS: LENGTH: 15 amino acids (A) TYPE: amino acid (B) STRANDEDNESS: unknown (C) TOPOLOGY: unknown (D) (ii) MOLECULE TYPE: peptide (iii) HYPOTHETICAL: NO (iv) ANTI-SENSE: NO (v) FRAGMENT TYPE: N-terminal (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1: Xaa Xaa Leu His His Val Lys Leu Ile Tyr Ala Thr Xaa Xaa Xaa 10 5 (2) INFORMATION FOR SEQ ID NO:2: (i) SEQUENCE CHARACTERISTICS: LENGTH: 15 amino acids (A) TYPE: amino acid (B) TOPOLOGY: unknown (D) (ii) MOLECULE TYPE: peptide

10

Ш

20 🖺

30 🖟

35

40

45

50

÷Ω

-78-

```
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:
    Xaa Xaa Xaa Pro Asp Trp Xaa Xaa Arg Xaa Glu Xaa Leu Xaa Xaa
                                          10
(2) INFORMATION FOR SEQ ID NO:3:
     (i) SEQUENCE CHARACTERISTICS:
                  LENGTH: 35 amino acids
          (A)
                  TYPE: amino acid
          (B)
                  TOPOLOGY: unknown
          (D)
    (ii) MOLECULE TYPE: peptide
   (iii) HYPOTHETICAL: NO
    (iv) ANTI-SENSE: NO
     (v) FRAGMENT TYPE: N-terminal
    (xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:
    Xaa Leu Leu His His Val Lys Leu Ile Tyr Ala Thr Lys Xaa Arg Xaa
                                          10
    Leu Val Gly Lys Xaa Ile Val Leu Ala Ile Pro Gly Xaa Xaa Ala Xaa
                 20
                                     25
    Xaa Xaa Xaa
             35
(2) INFORMATION FOR SEQ ID NO:4:
     (i) SEQUENCE CHARACTERISTICS:
         · (A)
                  LENGTH: 18 amino acids
          (B)
                  TYPE: amino acid
          (D)
                  TOPOLOGY: unknown
    (ii) MOLECULE TYPE: peptide
   (iii) HYPOTHETICAL: NO
    (iv) ANTI-SENSE: NO
     (v) FRAGMENT TYPE: N-terminal
    (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:
    Xaa Xaa Xaa Pro Asp Trp Xaa Xaa Arg Xaa Glu Xaa Leu Xaa Glu Xaa
                                          10
     Xaa Xaa
(2) INFORMATION FOR SEQ ID NO:5:
     (i) SEQUENCE CHARACTERISTICS:
                 LENGTH: 17 amino acids
          (A)
           (B)
                  TYPE: amino acid
          (D)
                  TOPOLOGY: unknown
    (ii) MOLECULE TYPE: peptide
   (iii) HYPOTHETICAL: NO
    (iv) ANTI-SENSE: NO
     (v) FRAGMENT TYPE: internal
    (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:
     Xaa Tyr Asp Ala Val Ile Met Ala Ala Val Val Asp Phe Arg Pro
                                          10
     Lys
(2) INFORMATION FOR SEQ ID NO:6:
     (i) SEQUENCE CHARACTERISTICS:
                 LENGTH: 24 amino acids
           (A)
           (B)
                  TYPE: amino acid
                  TOPOLOGY: unknown
           (D)
    (ii) MOLECULE TYPE: peptide
   (iii) HYPOTHETICAL: NO
    (iv) ANTI-SENSE: NO
     (v) FRAGMENT TYPE: internal
```

-79-

```
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:
                 Ala Asp Leu Val Val Gly Asn Thr Leu Glu Ala Phe Gly Ser Glu Glu
                                                       10
                 Asn Gln Val Val Leu Ile Gly Arg
 5
                              20
            (2) INFORMATION FOR SEQ ID NO:7:
                  (i) SEQUENCE CHARACTERISTICS:
                              LENGTH: 17 amino acids
                       (A)
                               TYPE: amino acid
                       (B)
10
                       (D)
                               TOPOLOGY: unknown
                 (ii) MOLECULE TYPE: peptide
                (iii) HYPOTHETICAL: NO
                 (iv) ANTI-SENSE: NO
                  (v) FRAGMENT TYPE: N-terminal
                 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:
15
                 Gly Ala Met Leu His His Val Lys Leu Ile Tyr Ala Xaa Lys Leu Arg
10
                 1
                 Lys
             (2) INFORMATION FOR SEQ ID NO:8:
                  (i) SEQUENCE CHARACTERISTICS:
                               LENGTH: 18 amino acids
                       (A)
                               TYPE: amino acid
                       (B)
                               TOPOLOGY: unknown
                       (D)
                 (ii) MOLECULE TYPE: peptide
                (iii) HYPOTHETICAL: NO
                 (iv) ANTI-SENSE: NO
                  (v) FRAGMENT TYPE: N-terminal
                 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:
                  Gly Ala Met Leu His His Val Lys Leu Ile Tyr Ala Thr Lys Xaa Xaa
                                                       10
                                  5
                  Arg Lys
             (2) INFORMATION FOR SEQ ID NO:9:
                  (i) SEQUENCE CHARACTERISTICS:
                               LENGTH: 13 amino acids
                       (A)
 35
                               TYPE: amino acid
                               TOPOLOGY: unknown
                       (D)
                 (ii) MOLECULE TYPE: peptide
                (iii) HYPOTHETICAL: NO
                 (iv) ANTI-SENSE: NO
 40
                  (v) FRAGMENT TYPE: N-terminal
                 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:
                  Met Leu His His Val Lys Leu Ile Tyr Ala Thr Lys Leu
                                                        10
             (2) INFORMATION FOR SEQ ID NO:10:
                   (i) SEQUENCE CHARACTERISTICS:
 45
                               LENGTH: 16 amino acids
                        (A)
                                TYPE: amino acid
                        (B)
                               TOPOLOGY: unknown
                        (D)
                  (ii) MOLECULE TYPE: peptide
 50
                 (iii) HYPOTHETICAL: NO
                  (iv) ANTI-SENSE: NO
                   (v) FRAGMENT TYPE: N-terminal
                  (xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:
                  Gly Xaa Xaa Xaa Pro Asp Trp Xaa Xaa Lys Phe Arg Lys Glu Glu Ser
```

15

ليا

20 D

25

IJ

Ö

·Ω

**30**0

35

40

45

50

-80-

```
15
                                          10
    1
(2) INFORMATION FOR SEQ ID NO:11:
     (i) SEQUENCE CHARACTERISTICS:
                  LENGTH: 17 amino acids
          (A)
          (B)
                  TYPE: amino acid
          (D)
                  TOPOLOGY: unknown
   (ii) MOLECULE TYPE: peptide
   (iii) HYPOTHETICAL: NO
    (iv) ANTI-SENSE: NO
    (v) FRAGMENT TYPE: N-terminal
    (xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:
     Gly Ala Ile Leu Leu Pro Asp Trp Lys Ile Arg Lys Glu Ile Leu Ile
                                          10
                      5
     1
     Glu
(2) INFORMATION FOR SEQ ID NO:12:
     (i) SEQUENCE CHARACTERISTICS:
                  LENGTH: 16 amino acids
          (A)
          (B)
                  TYPE: amino acid
                  TOPOLOGY: unknown
          (D)
    (ii) MOLECULE TYPE: peptide
   (iii) HYPOTHETICAL: NO
    (iv) ANTI-SENSE: NO
     (v) FRAGMENT TYPE: N-terminal
    (xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:
     Xaa Met His His Val Ile Lys Leu Xaa Tyr Ala Thr Xaa Ser Arg Lys
                                           10
     1
(2) INFORMATION FOR SEQ ID NO:13:
     (i) SEQUENCE CHARACTERISTICS:
                  LENGTH: 18 amino acids
           (A)
                   TYPE: amino acid
           (B)
                   TOPOLOGY: unknown
           (D)
    (ii) MOLECULE TYPE: peptide
   (iii) HYPOTHETICAL: NO
    (iv) ANTI-SENSE: NO
     (v) FRAGMENT TYPE: N-terminal
     (xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:
     Met Leu Tyr Leu Val Arg Pro Asp Trp Lys Arg Arg Lys Glu Ile Leu
     1
                      5
     Ile Glu
(2) INFORMATION FOR SEQ ID NO:14:
      (i) SEQUENCE CHARACTERISTICS:
                   LENGTH: 23 base pairs
           (A)
                   TYPE: nucleic acid
           (B)
                   STRANDEDNESS: single
           (C)
                   TOPOLOGY: unknown
           (D)
     (ii) MOLECULE TYPE: DNA (genomic)
    (iii) HYPOTHETICAL: NO
     (iv) ANTI-SENSE: NO
     (xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:
                                                                     23
CAYCAYGAHA ARYTHATTTA CGC
 (2) INFORMATION FOR SEQ ID NO:15:
      (i) SEQUENCE CHARACTERISTICS:
                   LENGTH: 23 base pairs
           (A)
                   TYPE: nucleic acid
           (B)
```

	(C) SIRANDEDNESS. BINGIC	
	(D) TOPOLOGY: unknown	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(iii) HYPOTHETICAL: NO	
5	(iv) ANTI-SENSE: YES	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:	
	GCCATDATNA CDGCRTCGTA TTT 23	
	(2) INFORMATION FOR SEQ ID NO:16:	
	(i) SEQUENCE CHARACTERISTICS:	
10	(A) LENGTH: 23 base pairs	
.0	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: unknown	
	(ii) MOLECULE TYPE: DNA (genomic)	
15	(iii) HYPOTHETICAL: NO	
	(iv) ANTI-SENSE: NO	
13	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:	
· <b>D</b>	CAYCAYGAHA ARYTHATATA CGC 23	
I.J	(2) INFORMATION FOR SEQ ID NO:17:	
A.	(2) INFORMATION FOR SEQ ID NO.17.  (i) SEQUENCE CHARACTERISTICS:	
	- ·	
<b>20</b> 2010 T		
	(D) TOPOLOGY: unknown (ii) MOLECULE TYPE: DNA (genomic)	
49	(iii) HYPOTHETICAL: NO	
: <u> </u>		
<b>₹</b>	(iv) ANTI-SENSE: YES (xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:	
25		
	ARDACDACYT GRTTTTCTTC 20 (2) INFORMATION FOR SEQ ID NO:18:	
30	(2) INFORMATION FOR SEQ ID NOTE:  (i) SEQUENCE CHARACTERISTICS:	
· <b>D</b>		
	<b>\-</b> '	
25	(C) STRANDEDNESS: single (D) TOPOLOGY: unknown	
35		
	(ii) MOLECULE TYPE: DNA (genomic)	
	(iii) HYPOTHETICAL: NO	
	(iv) ANTI-SENSE: NO	
40	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18: ATGCTTCACC ACGTCAAGCT AATCTACGCC ACAAAAAGTC GAAAGCTAGT TGGAAAAAAG 6	ი
40		
	ATAGTCNNNN NNNNNCCAGG GAGTATTGCG GCTTTGGATG TGAAAGCTTG TGAGGGACTA 12 ATTAGGCATG GGGCCGAAGT TCATGCAGTG ATGAGTGAGG CAGCCACCAA GATAATTCAT 18	
	CCTTATGCAT GGAATTTGCC CACGGGAAAT CCAGTCATAA CTGAGATCAC TGGATTTATC 24	
	GAGCATGTTG AGTTAGCAGG GGAACATGAG AATAAAGCAG ATTTAATTTT GGTTTGTCCT 30	
45	GAGCATGTTG AGTTAGCAGG GGAACATGAG AATAAAGCAG ATTAATTTT GGTTTGTCCT 36	
45	OCCUCIOCCA ACACMITATIO TITLIFICATION OF THE PROPERTY OF THE PR	
	GICGIGACCA CAGCAILICE CONTENTED IN THE STATE OF THE STATE	
	VIGINGUOC VICCOMMING AND	
	IIIVIOOUC CURCURITORI GOVERNO CONTRACTORIO C	
<b>5</b> 0	INCHONGIIN IIIMEELOGE GERTELEE	
50	GCGGGAGCAA CAAGAGAGTA CIIITOITTOITTOITTOITTOITTOITTOITTOITTOIT	
	AAAA1GGGAG IAGCGIIGGC IGIIIGGIIGGIIGGIIGGIIGGIIGGIIGG	
	ACMAGGGMA GIGIAMAGGC	
	GAAGAAAIGC IIICAGCGAI IGIIGAGA	
	PTGCCAGCTG CTGTAAGGGA TTTTAGGCCA AAAATTAAAG CAGAGGGAAA AATTAAAAGC 90	· U

10

15

20 四点点点点点点点点点 30

35

40

45

50

	AC CA AG GT TT TT AA AA C EMATI SEQU (A) (B)	AATG AAAA GGAA ATGA ON F ENCE	TCTT GGCA GCGA AAAA OR S CHA LEN TYP	GAT GAG GAG EQ I RACT GTH:	TGTT TGAG AAAC AGAG D NO ERIS 403 mino	GGA AGG CAA TTA :19: TICS ami aci	TTTA GCCA GTAG GCAG : :	DDAA DDDA TTATT DADA	AG A TG A AA I	AACT CTTA TGGC	TCAA GTCC AGAC	A AG T TG	AAAA GTAA TCAC	GCTT CACA CAAAA	1020 1080 1140
(iii)		THET	ICAL	: NO	)										
	SEQU														٠.
Met 1	Leu	His	His	Val 5	Lys	Leu	Ile	Tyr	Ala 10	Thr	Lys	Ser	Arg	Lys 15	Leu
Val	Gly	Lys	Lys 20	Ile	Val	Xaa	Xaa	Xaa 25	Pro	Gly	Ser	Ile	Ala 30	Ala	Leu
Asp	Val	Lys 35	Ala	Cys	Glu	Gly	Leu 40	Ile	Arg	His	Gly	Ala 45	Glu	Val	His
Ala	Val 50	Met	Ser	Glu	Ala	Ala 55	Thr	Lys	Ile	Ile	His 60	Pro	Tyr	Ala	Trp
Asn 65	Leu	Pro	Thr	Gly	Asn 70	Pro	Val	Ile	Thr	Glu 75	Ile	Thr	Gly	Phe	Ile 80
	His			85					90					95	
	Val		100					105					110		
	Asp	115					120					125			
	Pro 130					135					140				
Pro	Ile	Val	Arg	Glu	Asn	Ile	Glu	Arg	Leu	Lys	Lys	Leu	Gly	Val	Glu
145					150					155					160
	Ile	_		165					170					175	
_	Glu		180					185					190		
	Gly	195					200					205			
_	Pro 210					215					220				
	Leu	Ala	Glu	Glu		Asp	Phe	Arg	GIA		vai	Thr	ьeu	TIE	
225			_		230		_,			235	T	<b>-</b> 3 -	+	7	240
	Lys	_		245					250					255	
	Glu		260					265					270		•
	Lys	275	-	_			280					285			
_	9 Pro 290	-		_		295					300				
Thi	: Ile	Glu	Leu	Val	Pro	Xaa	Asn	Pro	Lys	Ile	Ile	qaA	Arg	Ile	Lys

	305					310					3 T 2					320
	Glı	ı Ile	Gln	Pro	Asn	Val	Phe	Leu	Val		Phe	Lys	Ala	Glu		Ser
					325				_	330				_	335	
_	Lys	3 Glu	Lys		Ile	Glu	Glu	Gly		Arg	Gln	Ile	GIu		Ala	Lys
5			_	340	**- 7	<b>a</b> 1	N	Ch-m	345	<b>C</b> 1	ח ד ת	Dho	C1.,	350	C111	C1
	Ala	Asp		Val	vaı	GIA	Asn	360	Leu	GIU	Ara	Pile	365	Ser	GIU	GIU
			355					360					303			
	3	n Gln	37-3	1/2]	T.611	Tle	Glv	Δτα	Asn	Phe	Thr	Lvs	Glu	Leu	Pro	Lvs
	ASI	1 GIN 370	vai	Val	Leu	116	375	Arg	rap	r mc	1111	380	014	200		<i>D</i> , <i>D</i>
0	Mod	J/O Lys	Tara	Ara	Glu	T.e11		Glu	Ara	Tle	Tro		Glu	Ile	Glu	Lvs
U	38!	_	пуз	Arg	Gru	390	****		•••		395					400
		a Leu	Ser													
	(2) INF				SEO	ID N	0:20	:								
		) SEQ														
5	(-	(A				: 33			irs							
69) 도마 교육 도마 도마수마 내가 교육 내 1921 (개) 내가 도마		(B				nucl										
'₩  .		(0	•			EDNE										
'# . A		(D				GY:										
'# .r	(ii	) MOL							)							
<b>6</b>		) HYP					-									
[급 주		) ANT														
[]  ]		) SEC				PTIO	N: S	EQ I	D NO	:20:						
H	CATAGCG															33
ii . <b>==</b> :	(2) INF															
25		) SEC														
		(P	(۱	LE	ngth	: 33	bas	e pa	irs							
2		(E	3)			nucl										
=		(0	:)			EDNE			le							
		(I				GY:										
3 <del>0</del>		) MOI					(gen	omic	)							
		) HYI														
		) AN														
		) SE(								:21:						
	ACTACGG								•							33
35	(2) INF															
	(i	) SE(														
		•	7)			1: 20										
		•	3)			nucl										
40			<b>2)</b>			EDNE			Ite							
40	,		D)			GY:			٠,							
		) MOI					(ger	OUITC	- /							
		) HY				10										
		7) AN L) Se				רטיידר	NT	EO 3	ים אכ	1.22	,					
45	GGCGTT					LPIIC	<i>7</i> 14	,rQ ,	LD NO		'					20
40	(2) INI					TD 1	IO : 23	<b>.</b>								
	(2) INI	i) SE	ULLEVI	אסים	A G G G E	. אשיניי ה	STI	 								
	(:		A) A)	T.	ENGJ.	H: 20	) bas	se pa	airs							
-		-	B)			nuc										
50		-	C)			DEDNI										
			D)			OGY:										
•	(3)	i) MO							c)							
		i) HY					. 5 0.		•						•	

-84-

	(iv) ANTI-SENSE: YES	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:	
	CCATCTCACG CGCCAGTTTC	20
	(2) INFORMATION FOR SEQ ID NO:24:	
5	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 23 base pairs	•
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: unknown	
10	(ii) MOLECULE TYPE: DNA (genomic)	
	(iii) HYPOTHETICAL: NO	
	(iv) ANTI-SENSE: NO	•
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:	
	GAGGAGACA GGAAAGGTGG AAC	23
15	(2) INFORMATION FOR SEQ ID NO:25:	
;= <u>=</u>	(i) SEQUENCE CHARACTERISTICS:	
'≓ :Ti	(A) LENGTH: 21 base pairs	
' <b>≟</b> ! . <b>!</b>	(B) TYPE: nucleic acid	
: <u></u>	(C) STRANDEDNESS: single	
20 🚆	(D) TOPOLOGY: unknown	
20 11 11 11 11 11 11 11 11 11 11 11 11 11	(ii) MOLECULE TYPE: DNA (genomic)	
ا سعور	(iii) HYPOTHETICAL: NO	
i d	(iv) ANTI-SENSE: YES	
141	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:	
25	GCTGGGAGAA GACTTCACTG G	21
25 11 11 30 2	(2) INFORMATION FOR SEQ ID NO:26:	•
<b>:</b>	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 19 base pairs	
	(B) TYPE: nucleic acid	
30₽	(C) STRANDEDNESS: single	
÷Φ	(D) TOPOLOGY: unknown	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(iii) HYPOTHETICAL: NO	
	(iv) ANTI-SENSE: NO	•
35	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:	
	GAGCTTGCTC AACTITATC	19
	(2) INFORMATION FOR SEQ ID NO:27:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 23 base pairs	
40	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: unknown	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(iii) HYPOTHETICAL: NO	
45	(iv) ANTI-SENSE: YES	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:	
	GATAGAGATA GTTTCTGGAG ACG	23
	(2) INFORMATION FOR SEQ ID NO:28:	
	(i) SEQUENCE CHARACTERISTICS:	
50	(A) LENGTH: 23 base pairs	
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: unknown	
	(ii) MOLECULE TYPE: DNA (genomic)	

-85-

	(iii) HYPOTHETICAL: NO			
	(iv) ANTI-SENSE: YES			
	(xi) SEQUENCE DESCRIPTION: SI	EQ ID NO:28:		•
	CGGGATATCG ACATTTCTGC ACC			23
·5	(2) INFORMATION FOR SEQ ID NO:29	•		
•	(i) SEQUENCE CHARACTERISTICS		•	
	(A) LENGTH: 24 base			
	(B) TYPE: nucleic a			
	(C) STRANDEDNESS:			
10	(D) TOPOLOGY: unkno			
	(ii) MOLECULE TYPE: DNA (gene			
	(iii) HYPOTHETICAL: NO	•		
	(iv) ANTI-SENSE: YES			
	(xi) SEQUENCE DESCRIPTION: SI	EO ID NO:29:		
15	GAGTTAAATG CCTACACTGT ATCT	- <b>-</b>		24
	(2) INFORMATION FOR SEQ ID NO:30	:		
ii	(i) SEQUENCE CHARACTERISTIC			
·Li	(A) LENGTH: 24 base			
IAI	(B) TYPE: nucleic			
易	(C) STRANDEDNESS:		**-	
	(D) TOPOLOGY: unkn			
	(ii) MOLECULE TYPE: DNA (gen			
- 11 CAC - 15 C	(iii) HYPOTHETICAL: NO			
Ų	(iv) ANTI-SENSE: NO			
	(xi) SEQUENCE DESCRIPTION: S	EO ID NO:30:		
	CAGGACTCAG AAGCTGCTAT CGAA			24
25 11 11 11	(2) INFORMATION FOR SEQ ID NO:31	:		
10	(i) SEQUENCE CHARACTERISTIC	S:		
	(A) LENGTH: 24 bas			
₹30	(B) TYPE: nucleic			
ıĎ	(C) STRANDEDNESS:	single		
_	(D) TOPOLOGY: unkn			
	(ii) MOLECULE TYPE: DNA (gen	omic)		
				•
	(iii) HYPOTHETICAL: NO			
- 35	(iv) ANTI-SENSE: NO			
	(xi) SEQUENCE DESCRIPTION: S	EQ ID NO:31:		
	CTGCACGTGC CCTGTAGGAT TTGT			24
	(2) INFORMATION FOR SEQ ID NO:32			
	(i) SEQUENCE CHARACTERISTIC			
40	(A) LENGTH: 23 bas			
	(B) TYPE: nucleic			
	(C) STRANDEDNESS:			
	(D) TOPOLOGY: unkr		•	
	(ii) MOLECULE TYPE: DNA (ger	iomic)		
45	(iii) HYPOTHETICAL: NO			
	(iv) ANTI-SENSE: NO			
	(xi) SEQUENCE DESCRIPTION: S	SEQ ID NO:32:		
	CCAGAYTGGA ARWKNAGGAA AGA			23
	(2) INFORMATION FOR SEQ ID NO:33			
50	(i) SEQUENCE CHARACTERISTIC	.S:		
	(A) LENGTH: 23 bas			
	(B) TYPE: nucleic			
	(C) STRANDEDNESS:	single		

-86-

	(D) TOPOLOGY: unknown	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(iii) HYPOTHETICAL: NO	•
	(iv) ANTI-SENSE: NO	
5	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:	
· ·	CCAGAYTGGA ARWKNAGAAA AGA	23
	(2) INFORMATION FOR SEQ ID NO:34:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 23 base pairs	
10	(B) TYPE: nucleic acid	
10	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: unknown	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(iii) HYPOTHETICAL: NO	
15	(iv) ANTI-SENSE: NO	
_	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:	
ا <u>د</u> ا ج	CCAGAYTGGA ARWKNAGGAA GGA	23
<b>.</b>		
( <u>1</u>	(2) INFORMATION FOR SEQ 1D NO:35: (i) SEQUENCE CHARACTERISTICS:	
<b>~</b> '₽	(A) LENGTH: 23 base pairs	
20:0		
	<b>\-</b> '	
1		
l <u>l</u>	• •	
0E <sup>11</sup>	(ii) MOLECULE TYPE: DNA (genomic)	
25	(iii) HYPOTHETICAL: NO (iv) ANTI-SENSE: NO	
·Ð	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:	
25 25 30	CCAGAYTGGA ARWKNAGAAA GGA	23
	(2) INFORMATION FOR SEQ ID NO:36:	
วก∄ี	(i) SEQUENCE CHARACTERISTICS:	
30 <u> </u>	(A) LENGTH: 84 base pairs	
-	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: unknown	
35	(ii) MOLECULE TYPE: DNA (genomic)	
33	(iii) HYPOTHETICAL: NO	
	(iv) ANTI-SENSE: NO	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:	
	CAGAGTGGGC AGAGAGGCTN TTGTTAAGGG GAAATTAATC GACGTGGAAA	
40	AGGAAGGAAA	60
40	AGTCGNTATT CCTCCAAGGG AATA	84
	(2) INFORMATION FOR SEQ ID NO:37:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 27 amino acids	
45	(B) TYPE: amino acid	
40	(D) TOPOLOGY: unknown	
	(2)	
	(ii) MOLECULE TYPE: peptide	
	(iii) HYPOTHETICAL: YES	
	(iv) ANTI-SENSE: NO	
50	(v) FRAGMENT TYPE: internal	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:37:	
	Glu Trp Ala Glu Arg Leu Leu Arg Gly Asn Xaa Ser Lys Trp	Lys
	1 5 10 15	

10

15

30

35

40

45

50

-87-

Arg Lys Glu Lys Ser Xaa Phe Leu Gln Gly Asn

```
20
(2) INFORMATION FOR SEQ ID NO:38:
     (i) SEQUENCE CHARACTERISTICS:
                  LENGTH: 27 amino acids
          (A)
                  TYPE: amino acid
          (B)
                  TOPOLOGY: unknown
          (D)
    (ii) MOLECULE TYPE: peptide
   (iii) HYPOTHETICAL: YES
    (iv) ANTI-SENSE: NO
     (v) FRAGMENT TYPE: internal
    (xi) SEQUENCE DESCRIPTION: SEQ ID NO:38:
    Arg Val Gly Arg Glu Ala Xaa Val Lys Gly Lys Leu Ile Glu Val Glu
                     5
                                          10
     Lys Glu Gly Lys Val Xaa Ile Pro Pro Arg Glu
                 20
(2) INFORMATION FOR SEQ ID NO:39:
     (i) SEQUENCE CHARACTERISTICS:
                  LENGTH: 28 amino acids
          (A)
                  TYPE: amino acid
          (B)
                  TOPOLOGY: unknown
          (D)
    (ii) MOLECULE TYPE: peptide
   (iii) HYPOTHETICAL: YES
    (iv) ANTI-SENSE: NO
     (v) FRAGMENT TYPE: internal
    (xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:
     Gln Ser Gly Gln Arg Gly Xaa Cys Xaa Gly Glu Ile Asn Arg Ser Gly
                      5
     Lys Gly Arg Lys Ser Arg Tyr Ser Ser Lys Gly Leu
                  20
(2) INFORMATION FOR SEQ ID NO:40:
     (i) SEQUENCE CHARACTERISTICS:
                   LENGTH: 129 base pairs
           (A)
                   TYPE: nucleic acid
           (B)
                   STRANDEDNESS: single
           (C)
                   TOPOLOGY: unknown
           (D)
     (ii) MOLECULE TYPE: DNA (genomic)
    (iii) HYPOTHETICAL: NO
     (iv) ANTI-SENSE: NO
     (xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:
CTGCCCACTC TGAGGTCATA ACCTGCTGGT TGGAGCCATT CTTCAGAAAA TGGCTCTATA 60
AGTATTTCTT TTCTGATTTT CCAGTCTGGA AGTAGCATTT TACCACCGAA ACCTTTATTT 120
TTAATTTAA
 (2) INFORMATION FOR SEQ ID NO:41:
      (i) SEQUENCE CHARACTERISTICS:
                   LENGTH: 42 amino acids
           (A)
                   TYPE: amino acid
           (B)
                   TOPOLOGY: unknown
           (D)
     (ii) MOLECULE TYPE: peptide
    (iii) HYPOTHETICAL: NO
     (iv) ANTI-SENSE: NO
      (v) FRAGMENT TYPE: N-terminal
     (xi) SEQUENCE DESCRIPTION: SEQ ID NO:41:
      Xaa Ile Lys Asn Lys Gly Phe Gly Gly Lys Met Leu Leu Pro Asp Trp
```

10

15

ليرا

ليرا

30₽

35

40

45

50

-88-

```
10
     Lys Ile Arg Lys Glu Ile Leu Ile Glu Pro Phe Ser Glu Glu Trp Leu
                                     25
     Gln Pro Ala Gly Tyr Asp Leu Arg Val Gly
             35
(2) INFORMATION FOR SEQ ID NO:42:
     (i) SEQUENCE CHARACTERISTICS:
                  LENGTH: 740 base pairs
                  TYPE: nucleic acid
          (B)
          (C)
                  STRANDEDNESS: single
          (D)
                  TOPOLOGY: unknown
    (ii) MOLECULE TYPE: DNA (genomic)
   (iii) HYPOTHETICAL: NO
    (iv) ANTI-SENSE: NO
    (xi) SEQUENCE DESCRIPTION: SEQ ID NO:42:
TCCTCCAAGG GAATACGCCT TAATCCTAAC CCTCGAGAGG ATAAAGTTGC CCGACGATGT
TATGGGGGAT ATGAAGATAA GGAGCAGTTT AGCAAGAGAA GGGGTTATTG GTTCTTTTGC 120
TTGGGTTGAC CCAGGATGGG ATGGAAACTT AACACTAATG CTCTACAATG CCTCAAATGA 180
ACCTGTCGAA TTAAGATATG GAGAGAGATT TGTGCAGATC GCATTTATAA GGCTAGAGGG 240
TCCGGCAAGA AACCCTTACA GAGGAAACTA TCAGGGGAGC ACAAGGTTAG CGTTTTCAAA 300
GAGAAAGAAA CTCTAGCGTC TTTTCAATAG CATCCTCAAT ATCTCGTGTG AAGTAATCAA 360-
TGTAAATACT TGCTGGGTGG GTTTTTAGGG ATTCAAACTC GTAAGATGGG CCTGTATAGC 420
AGAAAACTAT TTTTGCCTCT TCTTCATTTA TCTTTCTGTG AATAAAAAAT CCAACATCCA 480
CACTAGTTCC AAAAGATATT GTTTGCGTGA TTACCAACAA GATCTTGGCA TTATTTTTGA 540
TCTTATACTC TATTCTCCTT TCTCCCTCCA ATTTGCCCAA AATAAACCTG GGTAGTATAC 600
ATTCACTCCT CTCTTTTAAA TTCCTATAAA TTCGTACATA GTTTAGAAAA ATGTCAAATT 660
CTTTNTTCCC TGTTAAATTA ACCNCNAAAT CTTTATNANN AANCTTTTTA TAATTCCCAA 720
AACCCCTAAT TTTCCCCTTN
                                                                   740
(2) INFORMATION FOR SEQ ID NO:43:
     (i) SEQUENCE CHARACTERISTICS:
                  LENGTH: 246 amino acids
          (A)
          (B)
                  TYPE: amino acid
                  STRANDEDNESS: unknown
          (C)
                  TOPOLOGY: unknown
          (D)
    (ii) MOLECULE TYPE: peptide
   (iii) HYPOTHETICAL: YES
    (iv) ANTI-SENSE: NO
     (v) FRAGMENT TYPE: N-terminal
    (xi) SEQUENCE DESCRIPTION: SEQ ID NO:43:
     Leu Gln Gly Asn Thr Pro Xaa Ser Xaa Pro Ser Arg Gly Xaa Ser Cys
                     5
                                         10
     1
     Pro Thr Met Leu Trp Gly Ile Xaa Arg Xaa Gly Ala Val Xaa Gln Glu
                                     25
     Lys Gly Leu Leu Val Leu Leu Gly Leu Thr Gln Asp Gly Met Glu
                                 40
     Thr Xaa His Xaa Cys Ser Thr Met Pro Gln Met Asn Leu Ser Asn Xaa
                             55
     Asp Met Glu Arg Asp Leu Cys Arg Ser His Leu Xaa Gly Xaa Arg Val
                        70
                                              75
     Arq Gln Glu Thr Leu Thr Glu Glu Thr Ile Arg Gly Ala Gln Gly Xaa
                                          90
     Arg Phe Gln Arg Glu Arg Asn Ser Ser Val Phe Ser Ile Ala Ser Ser
                  100
                                      105
     Ile Ser Arg Val Lys Xaa Ser Met Xaa Ile Leu Ala Gly Trp Val Phe
```

-89-

													125			
	<b>3</b>	2 000	115	) an	Co~	Vaa	N a m	120	Dro	17-1	Vaa	Gla	125 Lys	mh~	710	Dho
	Alg	130	361	POII	Jer	naa	135	Gry	110	V 44 2	Auu	140	בעם	****	110	FIIC.
	Ala		Ser	Ser	Phe	Ile		Leu	Xaa	Ile	Lys		Pro	Thr	Ser	Thr
5	145					150					155					160
	Leu	Val	Pro	Lys	qaA	Ile	Val	Cys	Val	Ile	Thr	Asn	Lys	Ile	Leu	Ala
					165					170					175	
	Leu	Phe	Leu		Leu	Tyr	Ser	Ile		Leu	Ser	Pro	Ser		Leu	Pro
40	7	T3.	<b>3</b>	180	<b>~</b> 3	C	T3.	*** -	185	T 0	T 011	Co	Dho	190	Dha	T
10	гув	ire	195	Leu	Gry	ser	TTE	200	ser	nen	пеп	ser	Phe 205	ъÃа	Pne	Leu
	Xaa	Ile		Thr	Xaa	Phe	Ara		Met	Ser	Asn	Ser	Xaa	Phe-	Pro	Val
		210	3				215	-2 -				220				
	Lys	Leu	Thr	Xaa	Lys	Ser	Leu	Xaa	Xaa	Xaa	Phe	Leu	Xaa	Phe	Pro	Lys
15	225					230					235					240
ı	Pro	Leu	Ile	Phe		Xaa										
Ē	(0)				245	- N										
Į.	(2) INFOR	SEQU														
20	,,- (1)	(A)					ami		cide	2						
		(B)					aci			•						
		(D)					ınkno									
12	(ii)	MOLE	CUL	TYP	PE: 1	ept:	ide									
111	(iii)	HYPO	THE	CICAI	<b>لا : با</b>	ES										
25_	(xi)										_	_,	_		_	_
'⊷' :Fi		Pro	Arg	Glu	Tyr	Ala	Leu	Ile	Leu		Leu	GIu	Arg	Ile		Leu
The 20 The 25 The 30 Ch	1	200	N c m	บาา	5 Ma+	Glv	Acn	Met	Lare	10	Ara	Ser	Ser	T.eu	15 11 =	Ara
	PIO	ASII	W211	20	FICE	GLY	r25	1100	25		• 9			30		**** 9
30	Glu	Gly	Val		Gly	Ser	Phe	Ala		Val	Asp	Pro	Gly	Trp	Asp	Gly
Ē		_	35		_			40					45			
	Asn	Leu	Thr	Leu	Met	Leu		Asn	Ala	Ser	Asn		Pro	Val	Glu	Leu
	_	50	-1		•	<b>5</b> 1	55	~1 -	<b>~</b> 1 -	21-	Dh.a	60	<b>3</b>	7	<b>~</b> 3	G3
35	Arg 65	ıyr	GIA	GIU	Arg	70	vai	GIN	TIE	Ala	75	116	Arg	Leu	GIU	Gly 80
33		Ala	Ara	Asn	Pro		Ara	Glv	Asn	Tvr		Glv	Ser	Thr	Ara	
			5		85	-1-	5			90		•			95	
	Ala	Phe	Ser	Lys	Arg	Lys	Lys	Leu	Xaa	Arg	Leu	Phe	Asn	Ser	Ile	Leu
				100					105		_			110		_
40	Asn	Ile		Cys	Glu	Val	Ile		Val	Asn	Thr	Cys		Val	Gly	Phe
	Vaa	<b>01</b>	115	T	T 0.11	1701	<b>λ</b>	120	<b>77</b> -	~	Tla	ת ו ת	125 Glu	λοη	Ф 12	Dhe
	лаа	130		ьуs	neu	vaı	135	тър	ATA	Cys	TIE	140	GIŲ	ASII	TYL	PILE
	Cvs			Phe	Ile	Tyr		Ser	Val	Asn	Lys		Ser	Asn	Ile	His
45	145					150					155	•				160
	Thr	Ser	Ser	Lys	Arg	Tyr	Cys	Leu	Arg	Asp	Tyr	Gln	Gln	Asp	Leu	Gly
					165					170					175	
	Ile	Ile	Phe			Ile	Leu	Tyr		Pro	Phe	Ser	Leu		Phe	Ala
50	<b>61</b>	n	T	180		Yaa	<b>1</b> 1.1~	Th~	185	ጥኮ~	Dro	Len	Dhe	190	Tla	Dro
55	GIN	MSII	195	PIO	GIY	nad	TYL	200	FIIE	T 111	-10	neu	Phe 205	Aad	116	FIO
	Ile	Asn		Tyr	Ile	Val	Xaa		Asn	Val	Lys	Phe	Phe	Xaa	Pro	Cys
		210		-			215	-			-	220				-

· 5

10

15

35

40

45

50

-90-

	Ile	Asn	Xaa	Xaa		Phe	Xaa	Xaa	Xaa		Phe	Ile	Ile	Pro	_
225					230					235					240
Thi	Pro	Asn	Pre		Leu										
(0) TITE	DMS ID	TON I	200	245	(D. M	3.4E.									
(2) INFO															
_ (1)	SEQ				: 246				-						
	(A) (B)				amino			ıcıu:	•						
	(D)				3Y: 1										
(55)	MOL						,								
	HYP			_	-										
•	SEQ					1: SI	O II	ONO:	:45:						
• •	Ser						_			Pro	Arq	Glu	Asp	Lys	Val
1		•	•	5	_				10		_		•	15	
Ala	Arg	Arg	Cys 20	Tyr	Gly	Gly	Tyr	Glu 25	Asp	Lys	Glu	Gln	Phe	Ser	Lys
Arg	Arg	_		Trp	Phe	Phe	_		Gly	Xaa	Pro	_		Gly	Trp
¥	. Tais	35	æh.∽	7.55	חות	T 011	40	O	τ	T	Vaa	45	C1.0	λ~~	T10
гÀғ	Leu 50	ASII	TIIL	Wall	ALA	55	GIII	Cys	ьец	гу	60	1111	Cys	Arg	116
· Tage	: Ile	Trn	) ra	Glu	Tla		A1 =	Acn	Ara	Tla		Lare	λla	Ara	Gly
65	, IIC	TIP	, ALG	GIU	70	Cys	ALG	rap	ALG.	75	Lyr	цув	AIG	Arg	80
	Gly	Lvs	Lvs	Pro		Gln	Ara	Lvs	Leu	. •	Glv	Glu	His	Lvs	
00.	. 017	-,-	-,-	85			5	-7-	90		1			95	
Sei	. Val	Phe	Lvs		Lys	Glu	Thr	Leu	Ala	Ser	Phe	Gln	Xaa		Pro
			100		•			105					110		
Glı	Tyr	Leu	Val	Xaa	Ser	Asn	Gln	Cys	Lys	Tyr	Leu	Leu	Gly	Gly	Phe
	_	115					120					125			
Let	Gly	Ile	Gln	Thr	Arg	Lys	Met	Gly	Leu	Tyr	Ser	Arg	Lys	Leu	Phe
	130					135		•			140				
Let	ı Pro	Leu	Leu	His	Leu	Ser	Phe	Cys	Glu	Xaa	Lys	Ile	Gln	His	Pro
14					150					155					160
His	xaa	Phe	Gln		Ile	Leu	Phe	Ala		Leu	Pro	Thr	Arg		Trp
***	- M	Db -	V	165	m	mb ~	T 011	Dho	170	Dho	τ	Dwa	Dwa	175	0
HI	Tyr	Pne	180	Ser	ıyı	1111	neu	185	Sel	Pne	neu	PIO	190	116	Cys
D~	. Lys	Yas		ጥተጥ	٧»١	Val	ጥህጕ		Hic	Ser	Ser	T.em		Acn	Ser
PI.	J. Lly S	195	1111	rrp	Val	Vai	200	110	1113	JCI	501	205	DCu	ADII	JUL
ጥህ	r Lys		Val	His	Ser	Leu		Lvs	Cvs	Gln	Tle		Xaa	Ser	Leu
-1.	210					215		-,-	-7-		220				
Le	ı Asn		Pro	Xaa	Asn		Tvr	Xaa	Xaa	Xaa		Tvr	Asn	Ser	Gln
22					230		2 -			235		4			240
	n Pro	Xaa	Phe	Ser	Pro										
				245											
(2) INF	ORMAT	ION	FOR .	SEQ	ID N	0:46	:								
(i	) SEC	UENC													
	•	.)			: 31			cids							
	•	1)			amin										
	•	:)			EDNE			OWD							
		)			GY:		own								
	) MOI					ıde									
	) HYP				J										
	) ANT ) FRA				M_+^	rmir	a l								
(V	; FRF	CHEN	T TY	FE:	14 - CG	T 111777	G.T.								

-91-

```
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:46:
                 Met Leu His His Val Lys Leu Ile Tyr Ala Thr Lys Ser Arg Lys Leu
                                                      10
                                                                           15
                                 5
                 Val Gly Lys Lys Ile Val Xaa Xaa Xaa Pro Gly Ser Ile Ala Ala
5
                                      .
                                                  25
                             20
            (2) INFORMATION FOR SEQ ID NO:47:
                 (i) SEQUENCE CHARACTERISTICS:
                      (A)
                              LENGTH: 17 amino acids
                              TYPE: amino acid
                      (B)
10
                              STRANDEDNESS: unknown
                      (C)
                      (D)
                              TOPOLOGY: unknown
                (ii) MOLECULE TYPE: peptide
               (iii) HYPOTHETICAL: NO
                (iv) ANTI-SENSE: NO
                 (v) FRAGMENT TYPE: internal
15
                (xi) SEQUENCE DESCRIPTION: SEQ ID NO:47:
                 Lys Tyr Asp Val Val Ile Met Ala Ala Ala Val Ser Asp Phe Arg Phe
                                                      10
                 1
Lys
            (2) INFORMATION FOR SEQ ID NO:48:
                 (i) SEQUENCE CHARACTERISTICS:
                              LENGTH: 24 amino acids
                       (A)
                              TYPE: amino acid
                       (B)
                              STRANDEDNESS: unknown
                       (C)
                              TOPOLOGY: unknown
                       (D)
                (ii) MOLECULE TYPE: peptide
               (iii) HYPOTHETICAL: NO
                (iv) ANTI-SENSE: NO
                 (v) FRAGMENT TYPE: internal
                (xi) SEQUENCE DESCRIPTION: SEQ ID NO:48:
30
                 Ala Asp Leu Val Val Gly Asn Thr Leu Glu Ala Phe Gly Ser Glu Glu
ıΩ
                                                      10
                                  5
                 Asn Gln Val Val Leu Ile Gly Arg
                             20
35
            (2) INFORMATION FOR SEQ ID NO:49:
                  (i) SEQUENCE CHARACTERISTICS:
                              LENGTH: 21 base pairs
                       (A)
                               TYPE: nucleic acid
                       (B)
                               STRANDEDNESS: single
                       (C)
40
                               TOPOLOGY: unknown
                 (ii) MOLECULE TYPE: DNA (genomic)
                (iii) HYPOTHETICAL: NO
                 (iv) ANTI-SENSE: NO
                 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:49:
                                                                                 21
45
            CTATTGAGTA CGAACGCCAT C
             (2) INFORMATION FOR SEQ ID NO:50:
                  (i) SEQUENCE CHARACTERISTICS:
                               LENGTH: 20 base pairs
                       (A)
                       (B)
                               TYPE: nucleic acid
59
                       (C)
                               STRANDEDNESS: single
                               TOPOLOGY: unknown
                       (D)
                 (ii) MOLECULE TYPE: DNA (genomic)
                (iii) HYPOTHETICAL: NO
```

(iv) ANTI-SENSE: NO

10

15

11年2211日刊 **25**11日刊 136日

35

40

45

50

GTCACGCT	SEQU TG CT						_								20
(2) INFO					D NC	:51:									-
(i)	SEQU	ENCE	CHA	RACT	ERIS	STICS	:								
	(A)		LEN	IGTH :	437	7 ami	no a	cids	5						
	(B)		TYP	E: a	mino	aci	.d								
-	(D)		TOP	OLOG	Υ: υ	ınkno	wn								
(ii)	MOLE	CULE	TYP	E: p	rote	ein									
(iii)	HYPO	THEI	CAL	: NO	)										
(iv)	ANTI	-SEN	ISE:	ИО											
(vi)	ORIG	INAL													
	(A)			ANIS						masc	hii				
(xi)	SEQU	ENCE	DES	CRIP	OIT	V: SE	II Q	NO:	:51:				_	_	
Met	Ile	Ser	Glu	Ile	Met	His	Pro	Thr	Lys	Leu	Leu	Lys	Gly		Lys
1				5					10	_	_			15	
	Lys		20					25					30		
Ile	Ala	Ala 35	Ile	Glu	Thr	Pro	Lys 40	Leu	Met	Arg	Glu	Leu 45	Ile	Arg	His
Glv	Ala		Val	Tyr	Cys	Ile		Thr	Glu	Glu	Thr	Lys	Lys	Ile	Ile
_	50					55					60				
Gly	Lys	Glu	Ala	Leu	Lys	Phe	Gly	Cys	Gly	Asn	Glu	Val	Tyr	Glu	Glu
65					70					75					80
Ile	Thr	Gly	Xaa	Xaa 85	Xaa	Xaa	Xaa	Asp	Ile 90	Glu	His	Ile	Leu	Leu 95	Tyr
Xaa	Xaa	Xaa	Xaa 100	Asn	Glu	Cys	Asp	Cys 105	Leu	Leu	Ile	Tyr	Pro 110	Ala	Thr
Ala	Asn	Ile 115		Ser	Lys	Ile	Asn 120	Leu	Gly	Ile	Ala	Asp 125	Asn	Ile	Val
Asn	Thr		Ala	Leu	Met	Phe 135		Gly	Asn	Lys	Pro 140	Ile	Phe	Ile	Val
Dro	Ala	Mot	Wie	Glu	Δen		Dhe	Δsn	Xaa	Xaa		Ile	Lvs	Ara	His
145		MCC	1113	Olu	150			•••		155			- 4	,	160
	Asp	Lvs	Leu	Lvs		Lvs	qzA	Lvs	Ile		Ile	Ile	Ser	Pro	Lys
110	, ,,op	D <sub>I</sub> U		165		-,-	E	-1 -	170	•				175	•
Phe	Glu	Glu	Xaa		Xaa	Xaa	Xaa	Xaa	Gly	Lys	Ala	Lys	Val	Ala	Asn
			180					185	-	-		_	190		
Ile	Glu	Asp	Val	Val	Lys	Ala	Val	Ile	Glu	Lys	Ile	Gly	Asn	Asn	Leu
		195					200					205			
Lys	Lys	Glu	Gly	Asn	Arg	Val	Leu	Ile	Leu	Asn	Gly	Gly	Thr	Val	Glu
•	210		•		_	215					220				
Phe	Ile	Asp	Lys	Val	Arg	Val	Ile	Ser	Asn	Leu	Ser	Ser	Gly	Lys	Met
225		_	_		230					235					240
Gly	v Val	Ala	Leu	Ala 245		Ala	Phe	Cys	Lys 250	Glu	Gly	Phe	Tyr	Val 255	Glu
Va]	lle	Thr	Ala 260		Gly	Leu	Glu	Pro 265		Tyr	Tyr	Ile	Lys 270	Asn	His
Lys	val	Leu 275	Thr		Lys	Glu	Met 280	Leu	Asn	Lys	Ala	Ile 285		Xaa	Xaa
Let	ı Xaa			Asp	Phe	Asp		Ile	Ile	Ser		Ala		Ile	Ser
	290					295					300				
_	Phe	Thr	Val	Glu			Phe	Glu	Gly			Ser	Ser	Glu	
309					310		_	_		315		٠.,	_	_	320
Glı	ı Xaa	Xaa	Xaa	Xaa	Leu	lle	Leu	Lys	Leu	Lys	Arg	Xaa	Asn	Pro	Lys

:

				325					330					335	
	Val	Leu Gl	ı Glu		Arg	Arg	Ile	Tyr		Asp	Xaa	Lys	Val		Ile
			340					345					350		•
_	Gly	Phe Ly		Glu	Tyr	Asn		Asp	Glu	Lys	Glu		Ile	Asn	Arg
.5		35		T	3	T	360	<b>&gt;</b>	T 0		Mot	365	T10	7 J -	2
	Ala	Lys Gl	1 Arg	ren	ASI	шуs 375	Tyr	ASII	Leu	ASII	380	116	TIE	Ala	ASII
	Asp	Leu Se	LVS	Xaa	Xaa		Tyr	Phe	Gly	Asp		Tyr	Ile	Glu	Val
	385		3		390		•		•	395	•	•			400
10	Tyr	Ile Il	e Thr	Lys	Tyr	Glu	Val	Glu	Lys	Ile	Ser	Gly	Ser	Lys	Lys
			_	405	_				410	<b>-</b>	_	_	_	415	
	Xaa	Glu Il		Glu	Arg	11e	Val	425	гуs	vaı	гÀг	гÀв	ьеи 430	vaı	гÀв
	Car	Xaa Xa	420 a Xaa	Xaa				423					430		
15	261	43		*****											•
	(2) INFOR			SEQ 1	D NO	52:52									
7. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	(i)	SEQUEN	CE CH	ARACI	TERIS	STICS	3:								
' <b>!</b>		(A)		NGTH:				cids	3						
'H		(B)		PE: a		_									
<b>26</b>	(22)	(D)		POLO			own								
1		HYPOTH				- 111									
		ANTI-S													
IJ		ORIGIN			:										
25		(A)		GANIS											
		SEQUEN								•	~1.		•	Db -	<b></b>
: <b>D</b>	_	Lys Al	a Arg		Gin	ьуs	lyr	Cys	Asp	ràs	TIE	Ата	ASN	Pne 15	Trp
] <b>.</b>	1	His Pr	o Thr	5 Glv	īvs	Ile	Ile	Met		Leu	Ala	Glv	Lvs		Ile
<b>30</b>	Cys	1113 11	20	017	_,_			25				2	30	-2-	
25 130 130 130	Val	Leu Gl	y Val	Ser	Gly	Gly	Ile	Ala	Ala	Tyr	Lys	Thr	Pro	Glu	Leu
<b>3</b> 00		35			_	_	40		_		_	45			
	Val	Arg Ar	g Leu	Arg	Asp	Arg 55	GIY	Ala	Asp	Val	Arg 60	vai	Ala	мес	Thr
35	Glu	50 Ala Al	a Lvs	Δla	Phe		Thr	Pro	Leu	Ser		Gln	Ala	Val	Ser
<b>3</b> 3	65	AIG AI	u Lyo	****	70					75					80
		Tyr Pr	o Val	Ser	Asp	Ser	Leu	Leu	Asp	Pro	Ala	Ala	Glu	Ala	Ala
				85					90				_	95	
40	Met	Gly Hi			Leu	Gly	Xaa		Xaa	Xaa	Lys	Trp		Asp	Leu
40	77.7	Ile Le	100		בומ	Thr	Δla	105	T.eu	Tle	Δla	Ara	110 Val	Δla	Δla
	Val	116 16		PIO	AIG		120		<u> </u>	110	nıα	125		7114	
	Gly	Met Al		Asp	Leu				Ile	Cys	Leu			Pro	Xaa
	_	130				135					140				
45	Xaa	Ala Pi	o Val	Ala			Pro	Ala	Met		Gln	Gln	Met	Tyr	
	145				150		T	<i>α</i> 1	**- 1	155	27.	V	C-~	A	160
	Ala	Ala A	a Thi	165		ASII	Leu	GIU	170		Ald	Add	261	175	GIY
	Leu	Leu I	e Trr			Asp	Ser	Gly			Ala	Cys	Gly		Ile
50			180			•		185				•	190		
	Gly	Pro G	y Arg	у Хаа	Xaa	qaA			Thr	Ile	Val			Ala	Val
	-		95			<b>*</b>	200		•	, ***	<b>v</b>	205		<b>14</b> = 4	T) -
	Ala	His P	ie Sei	Pro	val	. Asn 215		Leu	гуs	HIS	Leu 220		тте	met	тте
		210				213					220				

-94-

		Thr	Ala	Gly	Pro	Thr	Arg	Glu	Pro	Leu	Asp	Pro	Val	Arg	Tyr	Ile	Ser
		225					230					235	_	_		_	240
		Asn	His	Ser	Ser		Lys	Met	Gly	Phe		Ile	Ala	Ala	Ala		Alá
_						245			_		250	<b>a</b> 1	<b>D</b>	**- 3	<b>0</b>	255	
5		Arg	Arg	Gly		Asn	Val	Thr	Leu		ser	GIY	Pro	vai		ьeu	Pro
		mb	Dwa	D=-	260 Dho	1707	Tuc	Arg	1751	265	Wa l	Mot	Thr	Δla	270	Gl 11	Mat
		THE	PIO	275	Pne	val	пуъ	Arg	280	wab	vai	MCC.	1111	285	nea	GIU	Mec
		Glu	בומ		Val	Δgn	Xaa	Xaa		Ser	Val	Gln	Gln		Asn	Ile	Phe
10		Giu	290	ALU	•	71011	2144	295					300				
.0		Ile		Cvs	Ala	Ala	Val	Ala	Asp	Tyr	Arg	Ala	Ala	Thr	Val	Ala	Pro
		305	2	•			310		•	•		315					320
		Glu	Lys	Ile	Lys	Lys	Gln	Ala	Thr	Gln	Gly	Asp	Glu	Leu	Thr	Ile	Lys
						325					330					335	
15		Met	Val	Lys	Xaa	Asn	Pro	Asp	Ile	Val	Ala	Gly	Val	Ala	Ala	Leu	Lys
IJ					340					345		_	_		350		
ū		Asp	His	_	Pro	Tyr	Val	Val		Phe	Ala	Ala	Glu		Asn	Asn	Xaa
Ų				355	•			_	360	•	<b>a</b> 1	7	N	365	N	7	3
		Xaa		Xaa	Val	Glu	GIU	Tyr	А1а	Arg	GIN	гÀг	380	TIE	Arg	гÀг	ASII
ZŲ		Tou	370	T 011	Tla	Cyrc	λla	375 Asn	) en	V2 l	Sar	Gln		Thr	Gln	Glv	Dhe
		385	Asp	ьец	116	Cys	390	No II	Asp	Val	501	395	110		0111	017	400
Ĵ			Ser	αzA	Asn	Asn		Leu	His	Leu	Phe		Gln	Asp	Gly	Asp	
laj		11011		F		405					410	•		-	-	415	-
2001 11 2 25 11 12 12 12 12 12 12 12 12 12 12 12 12		Val	Leu	Pro	Leu	Glu	Arg	Lys	Glu	Leu	Leu	Gly	Gln	Leu	Leu	Leu	Asp
					420					425					430		
: <u>D</u>		Glu	Ile	Val	Thr	Arg	Tyr	Asp		Lys	Asn	Arg	Arg				
ļŲ.				435					440								
	(2)																
30		(1)						STIC		ai da							
D.			(A (B					ami: o ac		CIUS							
			(D	-				unkn									
		(ii)	-	-		PE:											
35		(iii)															
				I-SE													
		(v)	FRA	GMEN	T TY	PE:	inte	rnal									
								N: S									
4.0		Xaa	Gly	Xaa	Xaa		Xaa	Xaa	Xaa	Xaa		Xaa	Xaa	Xaa	Xaa		
40		1				5					10						
	(2)	INFO													•		
		(1)	_					STIC ami		cide							
			(A (E	-				o ac		CIUS							
45			(E	•				unkn									
70		(ii)	•	•		PE:											
		(iii)															
				I-SE													
		(v)	FRA	GMEN	T TY	PE:		rnal									
50								N: S									
		Phe	a Ala	Trp	Val		Pro	Gly	Trp	Asp		Asn	Thr	Leu	Met		
		1				5					10						

-95-

```
(2) INFORMATION FOR SEQ ID NO:55:
                 (i) SEQUENCE CHARACTERISTICS:
                              LENGTH: 14 amino acids
                      (A)
                              TYPE: amino acid
                      (B)
 5
                              TOPOLOGY: unknown
                      (D)
                (ii) MOLECULE TYPE: peptide
               (iii) HYPOTHETICAL: NO
                (iv) ANTI-SENSE: NO
                 (v) FRAGMENT TYPE: internal
10
                (xi) SEQUENCE DESCRIPTION: SEQ ID NO:55:
                 Ala Gly Trp Ile Asp Ala Gly Phe Lys Gly Lys Ile Thr Leu
                                  5
            (2) INFORMATION FOR SEQ ID NO:56:
                 (i) SEQUENCE CHARACTERISTICS:
15
                      (A)
                              LENGTH: 14 amino acids
                      (B)
                              TYPE: amino acid.
(D)
                              TOPOLOGY: unknown
ū
                (ii) MOLECULE TYPE: peptide
لِإ
               (iii) HYPOTHETICAL: NO
2000
                (iv) ANTI-SENSE: NO
                (xi) SEQUENCE DESCRIPTION: SEQ ID NO:56:
                 Ser Ala Val His Asp Pro Gly Tyr Glu Gly Arg Pro Glu Tyr
                                 5
            (2) INFORMATION FOR SEQ ID NO:57:
25
                 (i) SEQUENCE CHARACTERISTICS:
10 10 136
                      (A)
                              LENGTH: 14 amino acids
                       (B)
                              TYPE: amino acid
                       (D)
                              TOPOLOGY: unknown
                (ii) MOLECULE TYPE: peptide
               (iii) HYPOTHETICAL: NO
                (iv) ANTI-SENSE: NO
                (xi) SEQUENCE DESCRIPTION: SEQ ID NO:57:
                 Pro Thr Ile Val Asp Ala Gly Phe Glu Gly Gln Leu Thr Ile
                                  5
                                                       10
35
            (2) INFORMATION FOR SEQ ID NO:58:
                 (i) SEQUENCE CHARACTERISTICS:
                              LENGTH: 14 amino acids
                       (A)
                              TYPE: amino acid
                       (B)
                       (D)
                              TOPOLOGY: unknown
40
                (ii) MOLECULE TYPE: peptide
               (iii) HYPOTHETICAL: NO
                (iv) ANTI-SENSE: NO
                (xi) SEQUENCE DESCRIPTION: SEQ ID NO:58:
                Ala His Arg Ile Asp Pro Gly Trp Ser Gly Cys Ile Val Leu
45
                                                       10
            (2) INFORMATION FOR SEQ ID NO:59:
                  (i) SEQUENCE CHARACTERISTICS:
                             LENGTH: 24 base pairs
                       (A)
                       (B)
                               TYPE: nucleic acid
50
                       (C)
                              STRANDEDNESS: single
                       (D)
                               TOPOLOGY: unknown
                 (ii) MOLECULE TYPE: DNA (genomic)
                (iii) HYPOTHETICAL: NO
                 (iv) ANTI-SENSE: YES
```

-96-

	(X1) SEQUENCE DESCRIPTION: SEQ 1D NO:55:	
	GAGTTAAATG CCTACACTGT ATCT	24
	(2) INFORMATION FOR SEQ ID NO:60:	•
	(i) SEQUENCE CHARACTERISTICS:	
5	(A) LENGTH: 24 base pairs	
_	(B) TYPE: nucleic acid	-
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: unknown	
	(ii) MOLECULE TYPE: DNA (genomic)	
10	(iii) HYPOTHETICAL: NO	
10	(iv) ANTI-SENSE: NO	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:60:	
	CAGGACTCAG AAGCTGCTAT CGAA	24
		24
4 =	(2) INFORMATION FOR SEQ ID NO:61:	•
15	(i) SEQUENCE CHARACTERISTICS:	
ij	(A) LENGTH: 24 base pairs	
ı <u>D</u>	(B) TYPE: nucleic acid	
l <u>.</u> l	(C) STRANDEDNESS: single	
ñ	(D) TOPOLOGY: unknown	
20	(ii) MOLECULE TYPE: DNA (genomic)	
`#= ;=;	(iii) HYPOTHETICAL: NO	
; <b>=</b> ==	(iv) ANTI-SENSE: NO	
2000年	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:61:	
133	CTGCACGTGC CCTGTAGGAT TTGT	24
25 	2) INFORMATION FOR SEQ ID NO:62:	
Ţ	(i) SEQUENCE CHARACTERISTICS:	
:₽	(A) LENGTH: 21 base pairs	
IJ	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
30	(D) TOPOLOGY: linear	
:0	(ii) MOLECULE TYPE: DNA (genomic)	
<del>2</del>	(iii) HYPOTHETICAL: NO	
	(iv) ANTI-SENSE: NO	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:62:	•
35	CTATTGAGTA CGAACGCCAT C	21
	(2) INFORMATION FOR SEQ ID NO:63:	
	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 20 base pairs	
	(B) TYPE: nucleic acid	
40	(C) STRANDEDNESS: single	•
	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(iii) HYPOTHETICAL: NO	
	(iv) ANTI-SENSE: YES	
45	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:63:	
40	GTCACGCTTG CTCCACTCCG	20
	(2) INFORMATION FOR SEQ ID NO:64:	20
	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 23 base pairs</li></ul>	
50		
<b>30</b>	· · · · · · · · · · · · · · · · · · ·	
	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: unknown	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(iii) HYPOTHETICAL: NO	

-97-

```
(iv) ANTI-SENSE: NO
                (xi) SEQUENCE DESCRIPTION: SEQ ID NO:64:
            GAGGAGAGCA GGAAAGGTGG AAC
                                                                                  2.3
            (2) INFORMATION FOR SEQ ID NO:65:
5
                 (i) SEQUENCE CHARACTERISTICS:
                              LENGTH: 21 base pairs
                       (B)
                               TYPE: nucleic acid
                       (C)
                               STRANDEDNESS: single
                       (D)
                               TOPOLOGY: unknown
10
                (ii) MOLECULE TYPE: DNA (genomic)
               (iii) HYPOTHETICAL: NO
                (iv) ANTI-SENSE: YES
                 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:65:
            GCTGGGAGAA GACTTCACTG G
15
            (2) INFORMATION FOR SEQ ID NO:66:
                 (i) SEQUENCE CHARACTERISTICS:
LENGTH: 8 amino acids
                       (A)
ıD
                       (B)
                               TYPE: amino acid
ليرا
                       (C)
                               STRANDEDNESS: unknown
                       (D)
                               TOPOLOGY: unknown
                (ii) MOLECULE TYPE: peptide
              (iii) HYPOTHETICAL: NO
                (iv) ANTI-SENSE: NO
إرا
                 (v) FRAGMENT TYPE: internal
25
                (xi) SEQUENCE DESCRIPTION: SEQ ID NO:66:
                 His His Val Lys Leu Ile Tyr Ala
(2) INFORMATION FOR SEQ ID NO:67:
                 (i) SEQUENCE CHARACTERISTICS:
                       (A)
                              LENGTH: 8 amino acids
                       (B)
                               TYPE: amino acid
                       (C)
                               STRANDEDNESS: unknown
                       (D)
                               TOPOLOGY: unknown
                (ii) MOLECULE TYPE: peptide
35
               (iii) HYPOTHETICAL: NO
                (iv) ANTI-SENSE: NO
                 (v) FRAGMENT TYPE: internal
                (xi) SEQUENCE DESCRIPTION: SEQ ID NO:67:
                 Lys Tyr Asp Ala Val Ile Met Ala
40
                                  5
            (2) INFORMATION FOR SEQ ID NO:68:
                  (i) SEQUENCE CHARACTERISTICS:
                               LENGTH: 7 amino acids
                       (A)
                       (B)
                               TYPE: amino acid
45
                       (C)
                               STRANDEDNESS: unknown
                       (D)
                               TOPOLOGY: unknown
                (ii) MOLECULE TYPE: peptide
                (iii) HYPOTHETICAL: NO
                (iv) ANTI-SENSE: NO
50
                  (v) FRAGMENT TYPE: internal
                 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:68:
                 Glu Glu Asn Gln Val Val Leu
                                  5
            (2) INFORMATION FOR SEQ ID NO:69:
```

-98-

	(i) SEQUENCE CHARACTERISTICS:
	(A) LENGTH: 8 amino acids
	(B) TYPE: amino acid
	(C) STRANDEDNESS: unknown
5	(D) TOPOLOGY: unknown
	(ii) MOLECULE TYPE: peptide
	(iii) HYPOTHETICAL: NO
	(iv) ANTI-SENSE: NO
	(v) FRAGMENT TYPE: internal
10	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:69:
	Pro Asp Trp Lys Ile Arg Lys Glu
	1 5
	(2) INFORMATION FOR SEQ ID NO:70:
	(i) SEQUENCE CHARACTERISTICS:
15	(A) LENGTH: 471 base pairs
.0	(B) TYPE: nucleic acid
13	(C) STRANDEDNESS: double
٠ <u>D</u>	(D) TOPOLOGY: unknown
	(ii) MOLECULE TYPE: DNA (genomic)
20:0	(iii) HYPOTHETICAL: NO
20 _	(iv) ANTI-SENSE: NO
Ē	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:70:
	ATGCTACTTC CAGACTGGAA AATCAGAAAA GAAATACTTA TAGAGCCATT TTCTGAAGAA 60
i a I	TCGCTCCAAC CAGCAGGTTA TGACCTCAGA GTGGGCAGAG AGGCTTTTGT TAAGGGGAAA 120
25	TTAATCGACG TGGAAAAGGA AGGAAAAGTC GTTATTCCTC CAAGGGAATA CGCCTTAATC 180
	CTAACCCTCG AGAGGATAAA GTTGCCCGAC GATGTTATGG GGGATATGAA GATAAGGAGC 24
'≠d' . Fi	AGTTTAGCAA GAGAAGGGGT TATTGGTTCT TTTGCTTGGG TTGACCCAGG ATGGGATGGA 300
	AGTITAGCAA GAGAAGGGGT TATTGGTTCT TITGCTTGGG TTGACCCAGG ATGGGATGGA 300
: <del>1</del>	AGATTTGTGC AGATCGCATT TATAAGGCTA GAGGGTCCGG CAAGAAACCC TTACAGAGGA 420
30 =	AACTATCAGG GGAGCACAAG GTTAGCGTTT TCAAAGAGAA AGAAACTCTA G 473
30 🗓	(2) INFORMATION FOR SEQ ID NO:71:
٠ <b>D</b>	(i) SEQUENCE CHARACTERISTICS:
	(A) LENGTH: 156 amino acids
	(B) TYPE: amino acid
35	(C) STRANDEDNESS: unknown
33	
	• •
	(ii) MOLECULE TYPE: protein
	(iii) HYPOTHETICAL: NO
40	(iv) ANTI-SENSE: NO
40	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:71:
	Met Leu Leu Pro Asp Trp Lys Ile Arg Lys Glu Ile Leu Ile Glu Pro
	1 5 10 15
	Phe Ser Glu Glu Ser Leu Gln Pro Ala Gly Tyr Asp Leu Arg Val Gly
45	20 25 30
45	Arg Glu Ala Phe Val Lys Gly Lys Leu Ile Asp Val Glu Lys Glu Gly
	35 40 45
	Lys Val Val Ile Pro Pro Arg Glu Tyr Ala Leu Ile Leu Thr Leu Glu
	50 55 60
<b>5</b> 0	Arg Ile Lys Leu Pro Asp Asp Val Met Gly Asp Met Lys Ile Arg Ser
50	65 70 75 80
	Ser Leu Ala Arg Glu Gly Val Ile Gly Ser Phe Ala Trp Val Asp Pro
	85 90 95
	Gly Trp Asp Gly Asn Leu Thr Leu Met Leu Tyr Asn Ala Ser Asn Glu
	100 105 110

-99-

```
Pro Val Glu Leu Arg Tyr Gly Glu Arg Phe Val Gln Ile Ala Phe Ile
                                               120
                 Arg Leu Glu Gly Pro Ala Arg Asn Pro Tyr Arg Gly Asn Tyr Gln Gly
                                          135
                                                               140
5
                 Ser Thr Arg Leu Ala Phe Ser Lys Arg Lys Lys Leu
                                      150
            (2) INFORMATION FOR SEQ ID NO:72:
                  (i) SEQUENCE CHARACTERISTICS:
                               LENGTH: 13 amino acids
                               TYPE: amino acid
10
                       (B)
                               STRANDEDNESS: unknown
                       (C)
                               TOPOLOGY: unknown.
                       (D)
                 (ii) MOLECULE TYPE: peptide
                (iii) HYPOTHETICAL: YES
                 (iv) ANTI-SENSE: NO
15
                 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:72:
                 Xaa Gly Xaa Xaa Asp Xaa Xaa Xaa Gly Xaa Xaa Xaa
                                                      10
205 25 25 25
            (2) INFORMATION FOR SEQ ID NO:73:
                  (i) SEQUENCE CHARACTERISTICS:
                               LENGTH: 14 amino acids
                       (A)-
                               TYPE: amino acid
                       (B)
                               STRANDEDNESS: unknown
                       (C)
                               TOPOLOGY: unknown
                       (D)
                 (ii) MOLECULE TYPE: peptide
                (iii) HYPOTHETICAL: NO
                 (iv) ANTI-SENSE: NO
                  (v) FRAGMENT TYPE: internal
                 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:73:
                  Phe Ala Trp Val Asp Pro Gly Trp Asp Gly Asn Thr Leu Met
30
                                                       10
7 🗍
             (2) INFORMATION FOR SEQ ID NO:74:
                  (i) SEQUENCE CHARACTERISTICS:
                               LENGTH: 14 amino acids
                        (A)
35
                                TYPE: amino acid
                        (B)
                                STRANDEDNESS: unknown
                        (C)
                               TOPOLOGY: unknown
                        (D)
                 (ii) MOLECULE TYPE: peptide
                (iii) HYPOTHETICAL: NO
40
                 (iv) ANTI-SENSE: NO
                  (v) FRAGMENT TYPE: internal
                 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:74:
                  Ala Gly Trp Ile Asp Ala Gly Phe Lys Gly Lys Ile Thr Leu
                                                       10
                                   5
             (2) INFORMATION FOR SEQ ID NO:75:
45
                   (i) SEQUENCE CHARACTERISTICS:
                                LENGTH: 14 amino acids
                        (A)
                                TYPE: amino acid
                        (B)
                        (C)
                                STRANDEDNESS: unknown
50
                                TOPOLOGY: unknown
                        (D)
                  (ii) MOLECULE TYPE: peptide
                 (iii) HYPOTHETICAL: NO
                  (iv) ANTI-SENSE: NO
```

-100-

```
(v) FRAGMENT TYPE: internal
                  (xi) SEQUENCE DESCRIPTION: SEQ ID NO:75:
                 Ser Ala Val His Asp Pro Gly Tyr Glu Gly Arg Pro Glu Tyr
                                                       10
 5
            (2) INFORMATION FOR SEQ ID NO:76:
                (i) SEQUENCE CHARACTERISTICS:
                              LENGTH: 14 amino acids
                       (A)
                       (B)
                               TYPE: amino acid
                               STRANDEDNESS: unknown
                       (C)
10
                               TOPOLOGY: unknown
                       (D)
                (ii) MOLECULE TYPE: peptide
               (iii) HYPOTHETICAL: NO
                (iv) ANTI-SENSE: NO
                 (v) FRAGMENT TYPE: internal
15
                 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:76:
                 Pro Thr Ile Val Asp Ala Gly Phe Glu Gly Gln Leu Thr Ile
                                                       10
            (2) INFORMATION FOR SEQ ID NO:77:
                 (i) SEQUENCE CHARACTERISTICS:
                               LENGTH: 14 amino acids
                       (A)
                               TYPE: amino acid
                       (C)
                               STRANDEDNESS: unknown
                       (D)
                               TOPOLOGY: unknown
                 (ii) MOLECULE TYPE: peptide
25🗐
                (iii) HYPOTHETICAL: NO
                 (iv) ANTI-SENSE: NO
                  (v) FRAGMENT TYPE: internal
                 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:77:
 ١
                 Ala His Arg Ile Asp Pro Gly Trp Ser Gly Cys Ile Val Leu
30
                                  5.
                                                       10
            (2) INFORMATION FOR SEQ ID NO:78:
                  (i) SEQUENCE CHARACTERISTICS:
                       (A)
                               LENGTH: 14 amino acids
                       (B)
                               TYPE: amino acid
35
                       (C)
                              . STRANDEDNESS: unknown
                       (D)
                               TOPOLOGY: unknown
                 (ii) MOLECULE TYPE: peptide
                (iii) HYPOTHETICAL: NO
                 (iv) ANTI-SENSE: NO
40
                  (v) FRAGMENT TYPE: internal
                 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:78:
                  Val Gly Leu Ile Asp Ser Asp Tyr Gln Gly Gln Leu Met Ile
                                  5
                                                       10
             (2) INFORMATION FOR SEQ ID NO:79:
45
                  (i) SEQUENCE CHARACTERISTICS:
                       (A)
                               LENGTH: 14 amino acids
                       (B)
                               TYPE: amino acid
                               STRANDEDNESS: unknown
                       (C)
                               TOPOLOGY: unknown
                       (D)
50
                 (ii) MOLECULE TYPE: peptide
                (iii) HYPOTHETICAL: NO
```

(iv) ANTI-SENSE: NO

-101-

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:79:	Val lave		
	Val Lvs		
Ala Gly Val Val Asp Arg Asp Tyr Thr Gly Glu '	2,0	Val	•
1 5 10			
5 (2) INFORMATION FOR SEQ ID NO:80:			
(i) SEQUENCE CHARACTERISTICS:		•	
(A) LENGTH: 14 amino acids			
(B) TYPE: amino acid			
(C) STRANDEDNESS: unknown			
10 (D) TOPOLOGY: unknown			
(ii) MOLECULE TYPE: peptide			
(iii) HYPOTHETICAL: NO			
(iv) ANTI-SENSE: NO			
(v) FRAGMENT TYPE: internal			
15 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:80:			
Ala Gly Val Ile Asp Glu Asp Tyr Arg Gly Asn	Val Gly	Val	
1 5 10			
(2) INFORMATION FOR SEQ ID NO:81:			
(i) SEQUENCE CHARACTERISTICS:			
(A) LENGTH: 14 amino acids		,	
(B) TYPE: amino acid			
(C) STRANDEDNESS: unknown			
(D) TOPOLOGY: unknown			
1 5 10  (2) INFORMATION FOR SEQ ID NO:81:  (i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 14 amino acids  (B) TYPE: amino acid  (C) STRANDEDNESS: unknown  (D) TOPOLOGY: unknown  (ii) MOLECULE TYPE: peptide  (iii) HYPOTHETICAL: NO  (iv) ANTI-SENSE: NO  (v) FRAGMENT TYPE: internal  (xi) SEQUENCE DESCRIPTION: SEQ ID NO:81:  Thr Gly Leu Ile Asp Pro Gly Phe Gln Gly Glu  1 5 10  (2) INFORMATION FOR SEQ ID NO:82:			
25 (iii) HYPOTHETICAL: NO			
(iv) ANTI-SENSE: NO			•
(v) FRAGMENT TYPE: internal			
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:81:	Y Y	. 7	
Thr Gly Leu Ile Asp Pro Gly Phe Gln Gly Glu	reg ras	Leu	
1 5 10			
(2) INFORMATION FOR SEQ ID NO:82:			
(i) SEQUENCE CHARACTERISTICS:			
(A) LENGTH: 33 base pairs			
(B) TYPE: nucleic acid			
(C) STRANDEDNESS: single (D) TOPOLOGY: unknown			
<pre>(ii) MOLECULE TYPE: DNA (genomic) (iii) HYPOTHETICAL: NO</pre>			
(iv) ANTI-SENSE: NO			
40 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:82:			
GACGACGACA AGATGCTACT TCCAGACTGG AAA			33
(2) INFORMATION FOR SEQ ID NO:83:			
(i) SEQUENCE CHARACTERISTICS:			
(A) LENGTH: 35 base pairs			
45 (B) TYPE: nucleic acid			
(C) STRANDEDNESS: single			
(D) TOPOLOGY: unknown			
(ii) MOLECULE TYPE: DNA (genomic)			
(iii) HYPOTHETICAL: NO			
5) (iv) ANTI-SENSE: NO			
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:83:			
GGAACAAGAC CCGTCCCACT TTCACAGATG AAGAG			35
(2) INFORMATION FOR SEQ ID NO:84:			
(i) SEQUENCE CHARACTERISTICS:			

-102-

		(A)	LENGTH: 23 base pairs	· ·	
		(B)	TYPE: nucleic acid		
		(C)	STRANDEDNESS: single		•
		(D)	TOPOLOGY: unknown		
5	(ii)		TYPE: DNA (genomic)		
		НҮРОТНЕТ		•	
		ANTI-SEN			
			DESCRIPTION: SEQ ID NO:84:		
		CA GGAAAG			23
10			OR SEQ ID NO:85:		
			CHARACTERISTICS:		
	(1)	(A)	LENGTH: 23 base pairs		
		(B)	TYPE: nucleic acid		
		(C)	STRANDEDNESS: single		
15		· (C)	TOPOLOGY: unknown		
	(::)				
	<b>=</b>	HYPOTHET	TYPE: DNA (genomic)		
	L Company				
	" (TA)	ANTI-SEN			
20	(X1)		DESCRIPTION: SEQ ID NO:85:		
20	CTCCATG1	CC CAACTO			23
	<del>finite</del>		OR SEQ ID NO:86:		
	(1)		CHARACTERISTICS:		
	##	(A)	LENGTH: 38 base pairs		
		(B)	TYPE: nucleic acid		
25		(C)	STRANDEDNESS: single		
	3	(D)	TOPOLOGY: unknown		
			TYPE: DNA (genomic)		
	Ų (iii)	HYPOTHET			
	] (iv)	ANTI-SEN			
30			DESCRIPTION: SEQ ID NO:86:		
			ACGT TGTAAAACGA CGGCCAGT		38
			OR SEQ ID NO:87:		
	(i)	SEQUENCE	CHARACTERISTICS:		
		(A)	LENGTH: 38 base pairs		
35		(B)	TYPE: nucleic acid		
		(C)	STRANDEDNESS: single		
		(D)	TOPOLOGY: unknown		
	(ii)	MOLECULE	TYPE: DNA (genomic)		
	(iii)	HYPOTHET	CICAL: NO		
40	(iv)	ANTI-SEN	ISE: NO		
	(xi)	SEQUENCE	DESCRIPTION: SEQ ID NO:87:		
	GGUUUUC	CA GUCACO	ACGU UGUAAAACGA CGGCCAGU		38
	(2) INFO	RMATION B	FOR SEQ ID NO:88:		
	(i)	SEQUENCE	CHARACTERISTICS:	•	
45		(A)	LENGTH: 35 base pairs		
		(B)	TYPE: nucleic acid		
		(C)	STRANDEDNESS: single		
		(D)	TOPOLOGY: unknown		
	(ii)	MOLECULI	TYPE: DNA (genomic)		
50	(iii)	HYPOTHE:	rical: No		
		ANTI-SE			
	(xi)	SEQUENC	DESCRIPTION: SEQ ID NO:88:	•	
	GACGACG	ACA AGATG	CCTG CTCTGAAGAG ACACC		35
	(2) TNF(	MOTTAMAC	FOR SEO ID NO:89:		

5..

10

-103-

(i)	SEQUENCE	CHARACTERISTICS:		
	(A)	LENGTH: 35 base pairs		
	(B)	TYPE: nucleic acid		
	(C)	STRANDEDNESS: single		
	(D)	TOPOLOGY: unknown		
(ii)	MOLECULE	TYPE: DNA (genomic)		
(iii)	HYPOTHETICAL: NO			
(iv)	ANTI-SENS	SE: YES		
(xi)	SEQUENCE	DESCRIPTION: SEQ ID NO:89:		

GGAACAAGAC CCGTTTAATT CTTTCCAGTG GAACC

35